

CO<sub>2</sub>  
H<sub>2</sub>S  
Cl<sub>2</sub>  
NH<sub>3</sub>  
O<sub>3</sub>  
CO  
O<sub>2</sub>  
CH<sub>4</sub>  
SO<sub>2</sub>  
CO<sub>2</sub>  
H<sub>2</sub>S

# Portable Gas Detection Equipment



Gas detectors and transportable monitors for  
personal and temporary area protection

## Eikon

### Disposable / Recyclable Personal Gas Monitor

**E**ikon is an easy to use entry level gas detector designed without compromise on robustness or safety performance. Featuring loud audible and bright visible alarms, the unit is permanently "on" after activation and requires minimal training making it ideal for contractor or mass workforce use. Self test, lifetime and bump station functionality complete its appeal.

- No set up; minimal training
- H<sub>2</sub>S, CO, Cl<sub>2</sub>, NH<sub>3</sub>, O<sub>2</sub> or H<sub>2</sub>S+CO dual gas versions
- Rugged and tough to IP65
- Two year guaranteed life



## Gas-Pro

### Multi-gas Confined Space Monitor

NEW

**G**as-Pro is designed with confined space workers and fleet managers in mind, offering detection of up to 5 gases in a compact, rugged solution capable of withstanding harsh environments and everyday use.

- Up to 5 gases - O<sub>2</sub>, CO, H<sub>2</sub>S, LEL, CO<sub>2</sub>, SO<sub>2</sub>, O<sub>3</sub>, Cl<sub>2</sub>, NO, NO<sub>2</sub>
- Clear top mount display with dual colour backlight
- Optional internal pump
- Automatic fail safe flow plate recognition
- Specific pre-entry mode
- +ve Safety™ tri-colour status indication
- Unmissable alarm indication; vibrating, >95dB audible and high visibility red/blue LEDs
- Integral anti-shock case with water and dust resistance to IP65 and IP67
- Suitable for use with the new Crowcon portable wall and desk mount gas test solutions



## Gasman

### Single Gas Personal Monitor

**G**asman is a full function IP65 personal single gas monitor which is compact and lightweight yet fully ruggedised for the toughest of industrial environments. All Gasman units feature the same simple functionality in the same package, no matter which gas. Straight forward, one button operation minimises training while an easy to read display and clear alarms maximise protection.

- Smallest flammable gas personal monitor on the market
- Wide range of toxic gases, oxygen and flammable gas models all in the same package
- Data logging as standard



## Tetra 3

### Compact Multi-gas Personal Monitor

**T**etra 3 is the leading top-display multi-gas monitor on the market. Compact and simple to use, but packed with functionality such as data logging and twin colour alarms, the unit has earned an enviable reputation for robust performance in confined space entry and other demanding industrial applications.

- Up to 4 gases - CO, H<sub>2</sub>S, LEL, O<sub>2</sub>, O<sub>3</sub>, SO<sub>2</sub>, CO<sub>2</sub> and NH<sub>3</sub>
- Single button operation for all functions, even with gloved hands
- Water and dust resistant to IP65/67, can be submerged in water
- Rugged impact resistant design provides extra shock and vibration protection



## Tetra

### Pumped Multi-gas Personal Monitor

**T**etra is a multi-gas monitor for the detection of oxygen and a wide range of flammable and toxic gases. Available with or without an internal pump and powered by either rechargeable or disposable batteries Tetra offers flexibility, assurance and robustness.

- Built - in extractive sample pump option
- Up to four gases measured including a wide range of flammables and toxics
- Unique red / blue visual alarm, audible and vibrating alarms as standard
- Single button operation for all functions, even with gloved hands
- Rugged and robust, IP65 ingress protection
- Threshold, data and event logging as standard



## Triple Plus+ & Triple Plus+ IR

### Multi-gas and Purge Monitor

**T**riple Plus+ has earned the respect of users across the globe for providing rugged, easy to use protection with maximum sensor flexibility. The Triple Plus+ IR adds even more options, using infrared sensors for the detection and measurement of flammable hydrocarbons and carbon dioxide. IR technology enables use in high flammable gas concentrations that would damage pellistors, and in inert backgrounds such as purge applications.



- Ideal for purging applications
- User and site names logging
- Loud and bright audible and visual alarms
- Internal pump option for remote sampling
- Dual or single range IR sensor in combination
- Most popular multi gas detector ever, over 60,000 units supplied worldwide

## Detective+

### Transportable Area Gas Monitor

**D**etective+ is ideally suited to provide safety perimeter or area monitoring. Able to be quickly and securely linked together, loud and clear alarms can be transmitted between Detective+ units with high integrity, while fixed or folding leg options allow stacking for convenient storage. An internal pump option further extends use to include remote sampling.

- Wide range of gases and sensors, including infrared
- Rugged, easy to set up, convenient to store design
- 104dBA audible and multiple LED cluster visual alarms
- Long battery life
- Raised detectors and IP65 specification provide excellent sensor protection



## Gas Test Kit & Calibration Gases

### Simple Functionality Test and Calibration Equipment

**G**as Test Kit comprises a special regulator and tubing to enable easy gas testing of Crowcon detectors. This can be combined with either a single calibration gas or a specially formulated, long life "quad gas" mix. (Note: Eikon has a dedicated test station instead of the Gas Test Kit).



- 1 minute to complete test
- Minimal training required
- Easy no-button bump test and / or calibration
- Automatic pass/fail determination (Gasman, Tetra and T3)

## Checkbox IMH

### Automatic Calibration Equipment

**C**heckbox Instrument Management Hub (IMH) automates the routine testing, calibration and management of Crowcon detectors, facilitating traceability and routine maintenance. It is compatible with all Crowcon portables except Eikon.

- Up to eight different gas inlets
- Five or ten instrument interfaces
- Data and event file uploading
- Stores and controls configurations
- Networking capability



## Portables PC

### Detector Interface Software

**P**ortables PC is an easy to use software interface that allows users to access enhanced functionality on Crowcon monitors (except Eikon). Intended for use by Supervisors or equivalent, this package enables settings to be customised and logged data to be inspected and stored. Connection method is either direct, via an interface charger or via Checkbox IMH.



$\text{CO}_2$   
 $\text{H}_2\text{S}$   
 $\text{Cl}_2$   
 $\text{NH}_3$   
 $\text{O}_3$   
 $\text{CO}$   
 $\text{O}_2$   
 $\text{CH}_4$   
 $\text{SO}_2$   
 $\text{CO}_2$   
 $\text{H}_2\text{S}$

Crowcon also manufactures a wide range of fixed point gas detection products:



**IRmax**  
Infrared flammable  
gas detector



**Gasmaster**  
1-4 channel  
control system



**TXgard - IS+**  
Toxic gas / oxygen  
detector with display



**Vortex**  
Multiple detector  
control system



**Xgard**  
Oxygen, flammable  
or toxic gas detector

**UK:** 2 Blacklands Way, Abingdon Business Park, Abingdon, OXON, OX14 1DY  
+44 (0) 1235 557700 [sales@crowcon.com](mailto:sales@crowcon.com)

**US:** 21 Kenton Lands Road, Erlanger, Kentucky 41018-1845  
+1 859 957 1039 [salesusa@crowcon.com](mailto:salesusa@crowcon.com)

**NL:** Vlambloem 129, 3068JG, Rotterdam  
+31 10 421 1232 [eu@crowcon.com](mailto:eu@crowcon.com)

**SG:** Block 194 Pandan Loop, #06-20 Pantech Industrial Complex, Singapore, 128383  
+65 6745 2936 [sales@crowcon.com.sg](mailto:sales@crowcon.com.sg)

**CN:** Unit 316, Area 1, Tower B, Chuangxin Building, 12 Hongda North Road,  
Beijing Economic & Technological Development Area, Beijing, PRC 100176  
+86 10 6787 0335 [saleschina@crowcon.com](mailto:saleschina@crowcon.com)

Area reserved for distributor stamp

**[www.crowcon.com](http://www.crowcon.com)**

**CROWCON**  
Gas Detection You Can Trust